



VAC-SULES RABIMIC

Viral vaccine with aluminum hydroxide

Composition:

Rabies virus Pasteur strain ≥ 1 x 10 65 DICT_{50%} / mL

Excipients:

ClNa 6.8 mg/mL

CIK 0.4 mg/mL

Cl2Ca 0.2 mg/mL

S04Mg 0.2 mg / mL

PO4HNa 0.2 mg / mL

CO3HNa 0.3 mg / mL

Red Phenol 0.01 mg/ mL

Red Friends 0.01 mg/ mL

Sodium thiosulfate 0.474 mg / mL

Aluminum Hydroxide 40 mg / mL

Thimerosal 0.1 mg/mL

Water for injectables q.s. 2 mL



Vaccine to protect against rabies in canine, feline, bovine, ovine, swine and equine.

Target species:

Canine, feline, bovine, ovine, swine and equine.

of administration:

Subcutaneously or intramuscular in canine, feline, bovine, ovine and swine. Subcutaneously only in equine.

Dosage:

Canine and feline: 1 mL. Vaccination starting at 12 weeks of age, with annual revaccination.

Bovine, equine, ovine and swine: 2 mL. Vaccination starting at 6 months old, and then annual revaccination or according to the veterinarian's discretion or regulations.

Conservation:

2°C - 8°C. DO NOT FREEZE.

